

(SINCE 1998)



*Bringing the future of  
“Health Care”*



PRODUCT CATALOGUE

# ABOUT US



Hemodiaz begins its journey with successful forays in the field of In Vitro Diagnostics, Patient Care and Home Health Segments. The inception of Hemodiaz is the brainchild of professionals with more than 25 years of experience in the concerned segments. Professional experience is backed by a group with proven track-record and having diversified interests in Pharmaceuticals and Petrochemical business segments. The financial strength of the group is backed by a presence of more than three decades of sustained growth in the concerned business segments. Hemodiaz in the In Vitro Diagnostic Segment has a comprehensive range of Rapid Tests in the Non Critical and Critical segments, Biochemistry Analyzers with different Specifications and catering to diverse segments of the IVD industry. A range of products in the Serology segment also caters to the manual and automated requirement of the customer.

Patient Care segment has a vast range of products ranging from basic to Modular Monitors, Entry level ECG and models with automated Clinical Interpretation. Pulse Oximeters and Fetal Doppler's also have models with varied specifications. Portable Ultrasound units cater to a growing segment of Sinologists. Oxygen-Concentrators and CPAP-BIPAP units are meeting the challenges being faced by patients with adverse respiratory conditions. Infusion Pumps and Syringe Pumps are critical components of this range. Home-Health segment is addressing the needs and aspirations of a large captive audience. World Class products ranging from Thermometers, BP Apparatus, Glucometers, Nebulizers, Air-beds have different models with varied specifications. New wound care surgical solutions range with Hemolon Chlorhexidine + Cetrimide Antiseptic liquid and Hemodine Povidone-iodine Cleansing solution range of products add to the existing range of products. The entire range of products is certified by relevant agencies like CE, US FDA and necessary approvals by DCGI, NIB and BIS.



has Product Range of Following Certificates : -



Product Name	Page Nos.
<b>Hard Tip Digital Thermometer</b> (DIAZ -MT 101)	3
<b>Good News Pregnancy Test</b>	3
<b>Electric Warm Bag</b> ( DIAZ - WITH POCKET, DIAZ - WITHOUT POCKET)	4
<b>Hot Water Bottle</b>	5
<b>Hemofix</b> (DIAZ IV Cannula Fixator)	5
<b>Air Mattress</b>	6
<b>Vaporizer</b>	7
<b>Nebulizer Kit</b>	7
<b>Compressor Nebulizer</b> (DIAZ Excel, Diaz Ultra)	8
<b>Digital Blood Pressure Monitor</b> (DIAZ YP 620 (TALKING), DIAZ BP 80 (NON-TALKING))	9
<b>Fingertip Pulse Oximeter</b>	10
<b>Hand Held Pulse Oximeter</b> (DIAZ CMS60D)	11
<b>Table Top Pulse Oximeter</b> (DIAZ CMS 70A, DIAZ 3 PAPA, DIAZ CMS 5100)	12-14
<b>Pocket Fetal Doppler</b> (DIAZ HDS 1203, DIAZ Fd66)	15
<b>Fetal Monitors</b> (Diaz Bt350)	16
<b>Suction Machine</b> (DIAZ 7A 25D DOUBLE JAR, DIAZ SINGLE JAR)	17
<b>Syringe Pump</b> (DIAZ Sp58, DIAZ MS57E, DIAZ MS51E, DIAZ SP 01)	18
<b>Infusion Pump</b> (DIAZ BYS-820S, DIAZ - IP 22, DIAZ - Mi63)	19

Product Name	Page Nos.
<b>DVT Pump</b> (DIAZ-CIRONA 6200)	20
<b>3 Channel ECG Machine</b> (DIAZ ECG 300G, DIAZ 300GA, DIAZ ECG 301)	21-22
<b>6 Channnel ECG Machine</b> (DIAZ- HDECG 600G, DIAZ ECG601)	23-24
<b>12 Channel ECG Machine</b> (DIAZ 12, DIAZ HDECG 1200G, DIAZ - HDECG1200G)	25-27
<b>Multi- Papa Patient Monitor</b> (DIAZ CMS8000, DIAZ PM12D, DIAZ PM12B (TOUCH SCREEN), DIAZ KD12D, DIAZ PM15A)	28-32
<b>7 Para Patient Monitor</b> (DIAZ PM 12F)	33
<b>Defibrillator- Bi Phasic</b>	34
<b>Automatic External Defibrillator</b> (DIAZ AED7000)	34
<b>Oxygen Concentrator</b> (DIA K5BW, DIAZ INT 5AY, DIAZ P2 (PORTABLE), DIAZ J5BW, DIAZ J5BW D, DIAZ JAY10, DIAZ JAY10 Dual Flow)	35-40
<b>Bubble C-PAP</b>	41
<b>BIPAP</b> (DIAZ Y25T , Y30T)	42
<b>Respiratory Auto CPAP (APAP)</b> (DIAZ BIPAP G2S)	43
<b>Full Face Masl (BiPAP)</b> (DIAZ FULL FACE MASK)	44
<b>Nasal Mask</b> (DIAZ NASAL MASK)	45
<b>H.F.N.C</b> ( DIAZ H80)	46
<b>Anaesthesia Workstation</b> (DIAZ 7200)	47
<b>Ventilator</b> (DIAZ Vg70)	47

## HARD TIP DIGITAL THERMOMETER

Model - DIAZ -MT 101



### SPECIFICATIONS:

- Auto Off
- Non- Poisonous
- Provides precise measurement of body temperature
- Available for oral, rectal and armpit use
- Available with 10-second beep sound when flashing stops
- 200 hours long lasting battery life
- Is break resistant and comes with auto shut-off

### USE:

It is used for precisely measuring the body temperature and provides convenient usage with quick response time.

### SAFETY INFORMATION:

- Keep out of the reach of children
- Store at a temperature below 25-degree Celsius

## GOOD NEWS PREGNANCY TEST



### SPECIFICATIONS:

- Packaging Type Box
- Material Plastic
- Color White
- Brand Dr. Diaz
- Product Type One step pregnancy test device
- Accuracy Rate 99.8%
- Usage For in vitro diagnostic test, pregnancy

### FEATURES:

- Negative: Only one color band appears on the control region.
- Positive: Distinct color bands appear on test and control regions. Both lines indicate positive result

- Invalid: No visible band at all. Repeat the test with new test kit
- Intended use: For qualitative detection of HCG (Human chorionic gonadotropin) in urine as aid in early detection of pregnancy.
- Clinical importance: Early detection of HCG in urine indicates Pregnancy and it help in pregnancy management.
- Test principle: Test is based upon immune chromatography principle. Gold conjugate and Test line of membrane is coated with anti HCG. Sample containing HCG reacts with gold conjugate and makes an immune complex. This complex moves laterally and captured by testline proteins. Appearance of pink / purple line at "T" indicates for the presence HCG.

## **ELECTRIC WARM BAG**

**Model - EWB - WITH POCKET**



### **PRODUCT INTRODUCTION**

- Electric Hot Water Heating Pad with Hand Pocket makes Hot water Bags Redundant as it is safe and easy to use indoor/outdoor Key Features: Unlike traditional rubber bottle, Heating Gel Pad can be used for 2-4 hours continuously after a single charge of 3-4 minutes. This makes it the best portable rechargeable heating pad with no smell and no side effects, easy to use and carry. Shock-proof charge with mobility to carry anywhere in hotel, train, airport, office, hospital, etc., less electricity consumption for quick relief from - backaches, sprains, muscular and joint pains, abscesses, boils and women related pains. Works great as hand/foot and body warmer also.

### **SPECIFICATIONS:**

- Model Number :with Pocket warm bag
- Model Name: Electric Hot velvet bag Heating Gel Pad
- Outer Material: velvet
- Holding Time : 2 hr
- Charging Time: 3 min
- Safety Features: charging time under 10 minits

## **ELECTRIC WARM BAG**

**Model - DIAZ - WITHOUT POCKET**



### **SPECIFICATIONS**

- Just 7 to 12 minutes of electric charge gives heated pad for close to 2 hours. You can keep it inside the quilt to heat up the quilt or use on low temperature for massaging body parts.
- Strong points portable rechargeable heating pad easy to use and carry less electricity consumption easy. Gives relief from pain and makes you feel comfortable.
- Does not require filling of water where to use rechargeable heat pad is useful for providing instant relief from pain and treatment of sports injuries, arthritis, sore neck, backache, muscular pains, cramps, hypothermia, sprains and growing pains.
- An electric hot water pouch used to provide warmth, typically whilst in bed, but also for the application of heat to a specific part of the body. It is a high quality reliever from aches in cold.
- Runs on electricity no hassles of heating water on gas or heaters. Heating pad is the new age for traditional hot water bottle. The manufacture has filled the product with water and energy conversion agent.

## HOT WATER BOTTLE

### PRODUCT INTRODUCTION

#### SPECIFICATIONS:

- Brand : Dr Diaz.
- Product Series: Hot Water Bottle - Super Deluxe Quality
- Capacity: 1000ML



## HEMOFIX

### Model - DIAZ - IV Cannula Fixator

### PRODUCT INTRODUCTION

#### SPECIFICATIONS:

- Cannula fixator (Elastic Adhesive Bandage) is non-allergic adhesive paper liner for Easy removal
- Size: 6 X 5Cm

#### BANDAGE Size:

- 6 x 5 cm

#### Usage:

- Hospital, Clinical





## AIR MATTRESS

### PRODUCT INTRODUCTION

#### DESCRIPTION:

Buy the Dr Diaz Aerocare Anti Decubitus Air Mattress and feel the difference. This premium quality PVC mattress is a perfect fit for all those patients suffering from injuries or bed ridden for any other reason. It prevents bedsore and ulcers by inflating and deflating air bubbles alternatively. Air pump with variable pressure dial allows to control the air flow. Its pump is ultra-quiet and allows customization of pressure level as per patient's comfort level. The material used for making the mattress is waterproof and medical grade which makes it completely safe for use in all conditions.

#### SPECIFICATIONS:

- Power Source : Electricity
- Power Required (Volts) : 220 V
- Size :
- Dimension :
- Motor Power :

#### PRODUCT DETAILS:

- Type : Mattress
- Model Name : Anti Decubitus Air Pump & Bubble Mattress For Prevention of Bed Sores
- Color: Golden
- Model Id: Air Mattress
- Brand : Dr. Diaz
- Simplicity, reliability & east to use
- Aluminum motor cover
- Quite pump low noise, low vibration low temperature
- Adjustable hooks for easy fixing on bed frame.





## VAPORIZER



### PRODUCT INTRODUCTION

- Steam inhalation is a commonly used home remedy to get a temporary relief from various respiratory issues such as common cold, cough, congestion, sinusitis, bronchitis, etc
- Light yet Durable
- Double-Wall Body
- Safety Lock
- Other Features and Functions : LIGHT weight, double wall body, safe lock system

### SPECIFICATIONS:

- General
- Suitable For : Male, Female, Kids
- Material : ABS Plastic
- Waterless : No

### WARRANTY:

- Warranty Summary : 1 Year Domestic Warranty
- Warranty Service Type : off side warranty.
- Covered in Warranty : Manufacturing Damaged
- Not Covered in Warranty : Physicals Damaged.

### PRODUCT DETAILS:

- Power Input : AC 220 V, 50 Hz

## NEBULIZER KIT



### PRODUCT INTRODUCTION

- Mask fit over the nose and mouth, medication cup or jar: the liquified medication is placed into this cup or reservoir . It is important to regularly replace medication cups in to keep your nebulizer running at peak performance.

### SPECIFICATIONS:

- Disposability: Disposable

## COMPRESSOR NEBULIZER

### Model - DIAZ -ULTRA



### PRODUCT INTRODUCTION

#### • PRODUCT DETAILS:

- Brand: Dr.Diaz
- Type: 1
- Model ID: Nebulizer ultra
- Color: White
- Operating Air Flow Rate: 6 to 8 lpm
- Average Nebulization Rate (ml/min): 0.2 ml/min

#### SPECIFICATIONS:

- Nebulizer, specification, Nebulizer marks, Nebulizer filter



### Model - DIAZ -EXCEL



### PRODUCT INTRODUCTION

#### • SPECIFICATIONS:

- Model Name/Number: Premium (Medel Italy)
- Usage/Application: Hospital, Clinic
- Operation Mode: Table Top, Portable
- Size: 188 mm x Dia136 mm
- Noise Level: 52 dBA
- Weight: 1.5 kg
- Nebulization Rate: 0.4 ml/min
- Operating Temperature: 100 - 600 degree C
- Age Group: Adult
- Brand: Dr. Diaz
- Power Supply: 230VAC 50 Hz
- Minimum Filling Volume: 2 ml



## DIGITAL BLOOD PRESSURE MONITOR

### Model - DIAZ -YP 620 (TALKING)



### PRODUCT INTRODUCTION:

- Product Description Automatic Blood Pressure Monitor (Upper Arm)
- Applying the arm cuff 1. extend the cuff loop and put your arm through the cuff loop
- Position the cuff on upper arm and position the air tube at side your arm.
- The bottom edge of the cuff should be 2to 3 cm above the elbow.
- wrap the cuff tightly and close the fabric fastener firmly. Keep a finger gap between cuff and arm.
- Insert the cuff air tube plug to the left air jack

- on the monitor firmly to the bottom
- 2.Taking Measurement 1. in shutdown or standby mode , press (start/stop) to turn the monitor on. it will automatically start the measuring.cuff will start to inflate automatically.

### SPECIFICATIONS:

- Type
- Digital Bp Monitor
- Display
- LCD
- 1 Digital Bp monitor and cuff and Charger



## AUTOMATIC ARM STYLE ELECTRIC BLOOD PRESSURE MONITOR

### Model - DIAZ -BP 80



### SPECIFICATIONS:

- Model : BP80
- Display : Digital Liquid crystal display
- Battery Operated
- Rechargeable Battery (Optional)
- Carry Bag Included
- Measurement Mode : Oscillometric method
- Measurement Range: Pressure : 5.3kPa-37.3kP (40mmHg-280mmHg)
- Pulse : 40-199times/min
- Wrist Band Display Range : 0kPa-39.9kPa (0mmHg-299mmHg)

- Accuracy: Static Pressure:  $\pm 0.4\text{kPa}(\pm 3\text{mmHg})$
- Pulse : within  $\pm 5\%$
- Resolution :  $0.1\text{kPa} (1\text{mmHg})$
- Power Supply : DC6V (1.5V four AAA batteries)
- Storage temperature and Moisture Temperature: -10°C-55°C Moisture :  $\leq 10\%-85\%\text{RH}$
- Using temperature & Moisture Temperature: 5°C-40°C Moisture:  $\leq 15\%-85\%\text{RH}$
- Weight : About 400g
- Dimention: 125\*105\*52mm (1.\*W\*H)
- Accessories Included: Warranty Card, Certificate, Wrist band, Product Manual, Storage Bag.

## FINGERTIP PULSE OXIMETER



### SPECIFICATIONS:

- Brand: Dr. Diaz
- Colour : Black
- Number of Batteries: 2 AAA batteries required. (included)

### ABOUT THIS ITEM:

- Check Perfusion Index: Ratio of pulsatile blood flow to static blood in peripheral tissue is known as the perfusion index (PI) which is accurately measured with our oximeter
- Track SPO2 and Pulse Rate: SpO2 is a measurement of the amount of oxygen-carrying hemoglobin in the blood compared to non-oxygen-carrying hemoglobin, check it and pulse rate conveniently for better health
- Plethysmogram: A plethysmograph is a device that measures volume changes within an organ or the entire body, normally, it is measured with separate equipment, but Dr. Diaz Pulse Oximeter has this useful feature as wellpurple line at "T" indicates for the presenceHCG.
- Colorful OLED Display: It presents all readings in clear and crisp detail, reducing eye strain when reading complicated measurements and pulse forms.

## HAND HELD PULSE OXIMETER

Model - DIAZ -CMS60D

### PRODUCT INTRODUCTION

- Particularly suitable for professional use in nursing homes
- Bright LCD display is adjustable in brightness
- Easy-to-use
- Information can be uploaded to a computer, watched live and printed
- Different sensors available for neonates, children and adults
- Battery life up to 32 hours

### USER-FRIENDLY PULSE OXIMETER:

- The Dr. Diaz CMS60D is a professional pulse oximeter that is especially intended for measuring the oxygen saturation of your patient. The device is compact and easy to transport. Are you going to measure the saturation level and heart rate? Hold the oximeter in your hand and put the finger of your patient in the sensor, which is connected to the device with a 140 cm cable. The measured data appears on the LCD screen. An alarm can be set if the measured values fall below a minimum or rise above a maximum. Do you use the CMS60D with multiple patients? Then clean the inside of the sensor before and after use with alcohol for medical purposes. Clean the outside with a damp cloth. Never immerse the device in water

### BRIGHT LCD DISPLAY:

- You can easily read the patient's data on the LCD display of the Contec CMS60D. On the left, the oxygen saturation is displayed in blue numbers. On the right, the heart rate is displayed in green numbers. At the bottom, you'll find a graph displaying the heart rate in a trend. You can easily adjust the brightness of the LCD display with the buttons on the control panel. This function allows you to take a measurement in a light or dark room. The battery status indicator is also displayed on the screen, so you can see exactly when you need to change the batteries.



## **TABLE TOP PULSE OXIMETER**

**Model - DIAZ CMS 70A**



### **PRODUCT INTRODUCTION**

- Parameter Measures: SpO2 + Pulse Rate
- Warranty: 12 Months
- Usage : Hospital, Clinic
- Usage/Application : Hospital
- Model : CMS-70 A
- I Deal In : New Only
- Type: Handheld

### **SPECIFICATIONS:**

- Operation of the product is simple, low power consumption.
- SpO2 value display.
- Pulse rate value display, bar graph display.
- PI display.
- Pulse waveform display.
- Menu operation.
- Screen brightness can be changed.
- The display mode can be changed.
- Pulse rate sound indication, it can be turned on or turned off.
- With measured data overruns limits and low-voltage alarm function, the upper/down alarm range can be adjustable.
- Battery capacity indication.
- Low-voltage indication: low-voltage indicator appears before working abnormally which is due to low-voltage, and with alarm function.
- Connected with an external oximeter probe.
- Data storage function and the storage data can be uploaded to a computer.
- Real-time data can be transmitted to computers.





## TABLE TOP PULSE OXIMETER

**Model - DIAZ 3 PARA**



## PRODUCT INTRODUCTION

CMS5100 Patient Monitor adopts Oscillometry for NIBP measuring, Photoelectric Oxyhemoglobin Inspection Technology combining Capacity Pulse Scanning & Recording Technology for SpO2 measuring. Systolic Pressure(SYS), Diastolic Pressure(DIA), Mean Pressure(MAP), SpO2 and Pulse rate(PR) can be accurately measured. Compact appearance, comprehensive functions, simple and convenient operation, which is applicable for hospitals, community medical treatment and family.

### SPECIFICATIONS

#### NIBP:

- Method: Oscillometry
- Mode: Manual/Auto/Continuous
- Measurement Range: 25-260mmHg
- Resolution: 1mmHg
- NIBP Accuracy:  $\pm 5$ mmHg
- Alarm: SYS/DIA/MAP

#### SpO2:

- Measurement range: 0%-100%
- Resolution: 1%
- Accuracy:  $\pm 2\%$  (70%-100%) 0%-69% unspecified.
- Alarm range: 0-100%

#### PULSE RATE:

- Measurement range: 10 – 270
- Resolution: 1bpm
- Accuracy:  $\pm 2$ pm or  $\pm 2\%$

#### TEMPERATURE:

- Resolution : 0.1°C
- Measurement : 0-50 °C
- Unit : C & F

### FEATURES:

- +Suitable for adult, pediatric and neonatal patient
- + 2.8" High brightness TFT LCD display.
- + High brightness LED display of NIBP, SpO2 and pulse rate.
- + Memory: Built-in Flash Memory.
- + Up to 2000 groups NIBP data storage and SPO2, date up to 48 hours
- + Built-in rechargeable Lithium ion polymer battery.





## TABLE TOP PULSE OXIMETER

Model - DIAZ CMS5100



### PRODUCT INTRODUCTION

CMS5100 Patient Monitor adopts Oscillometry for NIBP measuring, Photoelectric Oxyhemoglobin Inspection Technology combining Capacity Pulse Scanning & Recording Technology for SpO2 measuring. Systolic Pressure(SYS), Diastolic Pressure(DIA), Mean Pressure(MAP), SpO2 and Pulse rate(PR) can be accurately measured. Compact appearance, comprehensive functions, simple and convenient operation, which is applicable for hospitals, community medical treatment and family.

### SPECIFICATIONS

#### NIBP:

- Method: Oscillometry
- Mode: Manual/Auto/Continuous
- Measurement Range: 25-260mmHg
- Resolution: 1mmHg
- NIBP Accuracy:  $\pm 5$ mmHg
- Alarm: SYS/DIA/MAP

#### SpO2:

- Measurement range: 0%-100%
- Resolution: 1%
- Accuracy:  $\pm 2\%$  (70%-100%) 0%-69% unspecified.
- Alarm range: 0-100%

#### PULSE RATE:

- Measurement range: 10 – 270
- Resolution: 1bpm
- Accuracy:  $\pm 2$ pm or  $\pm 2\%$

#### FEATURES:

- +Suitable for adult, pediatric and neonatal patient
- + 2.8" High brightness TFT LCD display.
- + High brightness LED display of NIBP, SpO2 and pulse rate.
- + Memory: Built-in Flash Memory.
- + Up to 2000 groups NIBP data storage and SPO2, date up to 48 hours
- + Built-in rechargeable Lithium ion polymer battery.



## POCKET FETAL DOPPLER

**Model - DIAZ - HDS-1203**



### PRODUCT INTRODUCTION

#### FEATURES:

- The probe has a bending structure which is easy to operate and can increase the ease of the pregnant women, embodies the humane care design
- Fetal heart rate values, bar graph, and heartbeat waveform color screen display
- Alarming in red when the fetal heart rate range is out of the normal range
- Battery status indicator
- The probe can be changeable
- Probe inspection
- Built-in speaker
- Output for headphone
- Auto shut off
- Two pieces of standard 1.5V alkaline battery available which can work no less than 8 hours
- Probe Frequency: 2 MHz, 3 MHz, 5 Mhz
- Warranty: 1 Year

## POCKET FETAL DOPPLER

**Model - DIAZ - FD66**



### PRODUCT INTRODUCTION

We offer to our honored patrons the first-class range of Fetal Heart Monitor. Furthermore, our patrons can avail this product from us at affordable rates.

#### SPECIFICATIONS:

- Brands :Contec
- Probe Frequency :3 Mhz
- Inbuilt Battery:Yes
- Display Type: LCD Display
- Portable:Yes
- Weight : 14.4 Ounces



## **FETAL MONITORS:**

**Model - DIAZ BT350**



### **PRODUCT INTRODUCTION**

Model: BT-350  
Brand: DR. Diaz  
Dimension: 80mm (H) X 330mm (L) X 280mm (D)  
Application: Hospital  
Screen rotating: 180 Degree  
LCD display: 7" wide TFT color LCD display

### **SPECIFICATIONS:**

- Up to 150 patients date saving
- Fetal heart sound play and record in PC
- Multiple language support
- Quick guide display
- Various installation method

### **DUAL PULSED DOPPLER:**

- Ultrasound Frequency: 0.985MHz
- Intensity: 10mW/cm<sup>2</sup> or less
- FHR Range: 30~240bpm FHR
- Accuracy:  $\pm 2\%$  of Range
- Auto-detection of Dual Fetal Movement
- External Type
- Frequency Response: DC~0.5HZ
- Reference(Zero) Control
- Measurement Range: 0~99 units

### **PRINTER:**

- Thermal Array Type
- Print Speed: 1,2,3, cm/min, high speed
- Auto print: Off,10,20,30,40,50,60 min
- Paper Feeding Function

### **DISPLAY:**

- 3 Channels (FHR I, FHR II, UC)
- 7" Wide TFT-Color LCD:800(W) X 480(H) BT-350LCD
- Large 7-segment volume lever LED : BT-350 LED

### **FUNCTION:**

- Mark Function
- FHR II Offset Function
- Auto Print function
- Fetal movement print function
- Multi-language quick guide function: BT-350 LCD

### **ACCESSORY STANDARD:**

- Ultrasound Doppler Probe 2ea
- Event Marker Jack 1ea
- Power Adaptor Cord 1ea
- Probe Belt 3ea



## **SUCTION MACHINE DOUBLE JAR**

**Model - DIAZ 7A-25D**



### **PRODUCT INTRODUCTION**

- 7A-25D a type of electric suction apparatus adopted completely plastic panel design, which make it more fancy and fashionable. The device is intercepting oil for circumfluence can reduce the oil pollution. Easy to carry, low noise, high negative pressure and large flux. It can be widely applied in surgical operations which need to absorb phlegm, thick liquid etc.
- Pump: Oil Free
- Clean: no pollution of oil
- Convenient: no need to add oil for maintenance
- Safe: no positive pressure during using

### **TECHNICAL SPECIFICATION:**

- Max negative pressure: 0.09MPa
- Noise: 65 dB (A)
- Power: 180VA
- Pumping rate: 20L/min
- Reservoir capacity: 2500mL/pc, 2pieces

## **SUCTION MACHINE**

**Model - DIAZ Single Jar**



### **SPECIFICATIONS:**

- Type: Suction machine
- Operation Mode: Automatic
- Model Name/Number: 7A-23D
- Usage/Application: Medical
- Brand: DR. DIAZ
- Material: Plastic
- Capacity: Half hp
- Pump Type: Fully Automatic
- Voltage: AC220V/22V
- Minimum Order Quantity: 1
- Adopting oil-free piston pump
- Clean-without pollution of oil and smoke
- Convenient-no need add oil to maintain daily
- Safe-no plus pressure during using
- No flow backwards pressure when the machine stops, so the liquid won't flow backwards
- Complete plastic panels, hand-switch and foot-switch for operating easily. Select negative pressure at will with no level for pressure adjustment, and overflow protection mechanism, safe and reliable
- Not suitable for continuous use in the induced abortions and for the inflammable or explodable surroundings. Max continuous working time is 30 minutes, continuity rate: 50%
- Electrical appliance safety requirement: Class I, Type B

## **SYRINGE PUMP**

**Model - DIAZ MS57E**



**DIAZ MS51E**



**DIAZ SP 01**

### **PRODUCT INTRODUCTION**

- Weight : 1.5kg.
- Syringe Size: 2ml. And Also Available In 5ml. 10ml. 20ml. 30ml. 50/60ml.
- Accuracy: +-2%
- Power: < 55 VA
- Dimension: 270 x 140 x 80 mm (W x D x H)
- Alarm: Battery exhausted alarm, Low battery alarm Near and alarm, VTBI finished alarm Incorrect syringe han
- Bolus Rate: 2ml Syringe; 100ml/h; 5ml syringe; 150m/h 10ml Syringe: 400 ml/h; 20ml Syringe; 600 ml/h 30ml Syringe
- Volume Range: 0.01 ~ 9999.99ml. step by 0.01ml
- Flow Rate Rang: 2 ml. 0.01~100min; 5ml. 0.01~150ml/h. 10ml. 0.01~400ml/h. 20ml. 0.01~600ml/h 30ml. 0.01~1000ml/h. 50
- KVO Rate: Flow Rate >- 10ml/h; KVO rate ml/h Flow Rate>-1ml/h and <10ml/h: KVO rate 1ml/h Flow Rate<1ml/h; KVO
- Occlusion Pressure: Maximum 130 kPa, Minimum 26 Kpa 9 adjustable setting
- Power Adapter: A.C. Input power 100 v~240 V 50/60 HZ; D.C. output power 15V/ 2A
- Lithium Battery: Nominal Voltage; 10.8 V; Device can work over 6 hrs on battery
- Infusion Pump Input Power: D.C. 15 V
- Classification: Class II, Type CF, IPX2
- Minimum Order Quantity: 1

## INFUSION PUMP

Model - DIAZ BYS-820S



### PRODUCT INTRODUCTION

#### Features of Beyond Infusion Pump BYS-820 With HD LCD Display

##### SPECIFICATIONS:

- HD LCD Display, high capacity words, friendly user interface, dynamically display working status;
- Audible and visual alarm for occlusion, empty, low battery, end of infusion, door open, wrong setting, etc., which gain patents;
- Compatible with any brands of infusion sets after correct calibration;
- Preset solution volume to greatly reduce the workload of nurses;
- Work mode: ml/h and drop/min can switch freely;
- Three levels of occlusion: high, middle and low;
- Purge function;
- KVO (keep-vein-open) automatically opens as infusion is completed, KVO rate is 3ml/h;
- Power Source: AC100---240V, 50/60Hz; Internal Battery;
- Automatically record the settings of last infusion;
- BYS-820D can store 2000pcs of infusion records and it has a drug library.
- OEM is available.
- Is Discontinued By Manufacturer : No
- Product Dimensions : 28 x 21 x 13 cm; 2.5 Kilograms
- Date First Available : 22 March 2018
- Manufacturer : Hemodiaz
- ASIN : B07BN7ZBNS
- Manufacturer : Hemodiaz
- Item Weight : 2 kg 500 g
- Item Dimensions LxWxH : 28 x 21 x 13 Centimeters
- Net Quantity : 1 count
- Best Sellers Rank: #145,112 in Health & Personal Care (See Top 100 in Health & Personal Care)

##### APPLICATION / MODEL:

This instrument is applied in internal medicine, surgical, pediatrics, obstetrics and gynecology, ICU, CCU, operation room and other clinical infusion treatment (but not suitable for blood transfusion). It is especially suitable for clinical treatment that needs long-time accurate control of infusion rate and supervision of infusion processes.

##### CONTENT OF BOX1:

- Infusion Pump
- Operating Manual
- Power Cord



## **DVT PUMP**

**Model - DIAZ - CIRONA 6200**

### **PRODUCT INTRODUCTION**

- Being a leading enterprise of this industry, we are offering a huge range of Cirona DVT Pump.

### **FEATURES:**

- Minimal maintenance
- Excellent functionality
- Easy to use
- Inflation Cycle : 12 secs.
- Rest Period : 48 secs.
- Cycle Time : 60 secs.
- Pressure : 40 mmHg
- Battery : Lithium Battery, 4400mAh (Rechargeable)

### **USE:**

- Homecare

### **PRODUCT OVERVIEW:**

- The Dr. Diaz 6200 has two added features over its predecessor; a rechargeable battery to provide portable therapy and a detachable power cord to provide users with an even friendlier DVT pump.
- Expect the same quality and comfort that the 6100 provides with the Cirona® 6200 DVT prevention therapy pump.
- When using the device, air compression will quickly inflate the garments during a timed cycle.
- The timed cycle includes a 12-second inflation period as well as a 48-second relaxation period.
- This type of rapid air compression and deflation is powerful effective therapy that may increase venous blood flow and help prevent the painful symptoms of serious, life-threatening blood clots.





## 3 CHANNEL ECG MACHINE

### Model - DIAZ ECG-300G



### Model - DIAZ ECG-300GA



## PRODUCT INTRODUCTION

ECG Machine we propose is also acknowledged as an Electro Cardio Machine. Suitable for medical clinics, hospitals, and healthcare facilities, it adopts up-to-date technology to monitor a patient's heartbeats and pulse rates. Owing to its lightweight, small size, lightweight, application-specific design, and dimensional accuracy, it is convenient to use and easy to operate. Moreover, it is high on demand in the market in the medical industry for its high efficiency, accurate result, and low energy consumption. Furthermore, ECG Machine comes in different configurations, capacities, and models.

- Simultaneous acquisition of 12-lead ECG data
- Screen Display: 5.7 Inch LCD screen, 12 leads display, and working Status display, 200 ECG Data Storage With Touch Screen Display
- Measurement & Analysis: automatic measurement and analysis
- Recording Mode: 3CH, 3+1CH, 60 Sec Compressible waveform record
- Record Paper: 80mm X 20/30m
- JPG / PDF Report, PC Connectivity, Pan Drive Storage cable break off or power deficiency.
- Communication Interface: USB, professional input and output interface
- Power Supply: AC 100-240V(50/60HZ), DC12V/1500mAh
- Data Storage: SD card for data storage (Optional)

## SPECIFICATIONS :

- Number Of Channels: 3 Channels
- Brand: Dr Diaz
- Model Name/Number: ECG-300G
- Machine Type: Digital
- Weight : 2.3 Kg
- Diagnostic Frequency Range: 0.05 - 150 Hertz (HZ)
- Country of Origin : Made in India
- Recording Mode: 3CH, 3+1CH, 60 Sec Compressible waveform record
- Record Paper: 80mm X 20/30m

## 3 CHANNEL ECG MACHINE

### Model - DIAZ ECG-301



### PRODUCT INTRODUCTION

- 2 leads ECG simultaneous acquisition, digital signal processor, to get higher quality ECG waveforms through the AC filter, baseline filter and EMG filter of the ECG signals.
- Simultaneous display of 3/6/12 leads ECG waveform, and the state of printing mode, sensitivity, speed, filter etc., to be easy for interpretation.
- Include multiform printing modes and format, such as auto 3x4 +1, auto 3x4, auto 2x6 +1, auto 2x6, auto 4x3, rhythm 4, rhythm 3, rhythm 2 and manual etc, the length of wave printing can be adjusted and the function of periodic printing is included to satisfy different applications.
- The instrument has the function of regular auto-analysis and auto-interpretation of ECG waveform parameter, provides measurement parameters such as HR, P-R interval, P Duration, QRS Duration, T Duration, Q-T interval, Q-Tc, P Axis, QRS Axis, T Axis, R(V5), S(V1), R(V5)+S(V1) etc and auto-interpretation conclusion to help reducing doctor's abundance and improve working efficiency.
- The power supply includes both AC/DC. This device includes built-in lithium polymer rechargeable battery. It can standby for 10 hours, print 260 pieces of ECG waveform and print 180 minutes continually under the best DC state to satisfy the need of visiting patients and physical examination.
- It has build-in storage with large capacity, and can memory more than 1000 cases, which is easy for the doctor review and statistic.

### SPECIFICATIONS :

- Number Of Channels: 3 Channels
- Brand: Dr. Diaz
- Model Name/Number: 301
- Machine Type: Portable
- Recording Speed : 5mm/s, 6.25mm/s, 10mm/s, 12.5 mm/s, 25mm/s, 50mm/s
- Operating Mode: Automatic
- Battery Operating Time: 8 Hours
- Weight : 1.5 Kg
- Battery Backup Time: 4-6 Hours
- Sensitivity: 10
- Filters Type: Baseline Filter
- Accessories: Power Cord, Patient Cable, User Manual And Warranty Card
- Manufacturer By: Hemodiaz

## 6 CHANNEL ECG MACHINE

**Model - DIAZ HDECG-600G**



### PRODUCT INTRODUCTION

- Brand: Dr.Diaz
- Model: HDECG600G
- Power Supply: AC100V ~ 240V, 50/60 HZ
- Safety Class: Class I, Type CF applied part there is defibrillation circuit.
- Fuse Specification: 2 pcs, 5 x 20mm AC time lag; T1.6A/250 V (Power Supply2)

### DESCRIPTION:

- Owing to our huge market knowledge, we have been able to offer our valued clients with a wide range of HDECG600G ECG

### SPECIFICATIONS:

- ECG600G six channels ECG is such a kind of electrocardiograph, which samples 12 leads ECG signals simultaneously and prints out the ECG waveforms with thermal printing system. its function are as follows : recording and displaying ECG waveforms in auto/manual mode; auto-measuring and auto-diagnosing the ECG wave parameters; prompting the state of lead off and paper lack; switching the interface language (English)

### FEATURES :

- 800x480TFT Colour LCD shows the working

status and ECG waveform; Touch screen and soft keyboard control, more convenient for operation.

- 12 Leads ECG simultaneous acquisition, digital signal processor, to get higher quality ECG waveforms through the AC filter, baseline filter and EMG filter of the ECG singlas.
- Simultaneous display of 3/6/12 leads ECG waveform, and the state of printing mode, sensitivity, speed,
- filter etc. to be easy for interpretation.
- Sampling twelve leads ECG signal at the same time, analyzing 2x6+1 (rhythm lead), 2x6, 3x4, 3x4+1(rhythm lead), 4x3, 4x3+1, (rhythm lead), 6x2, 6x2+1 (rhythm lead) recording mode at the same time, and reporting with multi-formats.
- The power supply includes both AC/DC. The device includes built-in lithium polymer rechargeable battery.
- It can standby for 4 hours, print 150 pieces of ECG waveforms and print 90 minutes continually under the best DC state to satisfy the need of visiting patients and physical examination.
- It has build-in storage with large capacity, and can memory more than 1000 cases, which is easy for doctor review and statistic.
- Under the review mode, you can see the saved ECG waveform, auto analysis and auto-interpretation of ECG waveform parameter, auto interpretation conclusion.

## 6 CHANNEL ECG MACHINE

**Model - DIAZ ECG-601**



### PRODUCT INTRODUCTION

- Safety Type: Class I, Type CF applied part, which has defibrillation-proof applied part
- Lead : Standard 12 leads
- input way: Floating and defibrillation protection
- Screen : 7 inch color.graphic LCD touch screen;
- Built-in lithium battery: 1850mAh

### DETAILS:

- Batteries : 1 Lithium ion batteries required. (included)
- Language : English
- Product Dimensions : 31.5 x 21.5 x 9.2 cm; 107 Kilograms
- Date First Available : 19 November 2019

- Manufacturer : Dr Diaz
- ASIN : B081RXWD6
- Item model number : ECG 601
- Manufacturer : Dr Diaz
- Item Weight : 107 kg
- Item Dimensions LxWxH : 31.5 x 21.5 x 9.2 Centimeters
- Net Quantity : 1 count

### STANDARD CONFIGURATION:

"It has compact & portable design, support external printer. Smart ECG Viewer software for data management on PC. Automatic Measurements and Interpretation. 24-bit A/D converter, 0.05 – 150 Hz bandwidth, 1000Hz sampling frequency. Internal storage 800 ECGs and can be enlarged by USB. Supports external archiving: USB Disk/ SD Card/ Flash disk for unlimited data storage. PC connectivity through Ethernet/ RS232 port/FTP, Supports barcode scanner & USB Printer. Li-ion rechargeable battery – 300 ECG's. Report formats: PDF and optional SCP/FDA-XML/DICOM."



## 12 CHANNEL ECG MACHINE

Model - DIAZ 12



### PRODUCT INTRODUCTION

- Number Of Channels: 12 Channels
- Model Name/Number: TM 12E
- Brand: Dr. Diaz
- Machine Type: Portable
- Storage Inbuilt Memory: Infinity
- Model: TM-12E
- Type: Digital
- Digital Display: Yes
- Display: 10.2" Color Touch Screen
- Minimum Order Quantity: 2

- Lead Off And Lack Off Paper Detection Function
- 7 level Printing Thick Can Be Chosen
- Adapt To 110-230v, 50/60hz Ac Power Supply.

### FEATURES:

- Touch Mode
- Quick Input
- Unlimited Storage
- Convenient Setting

### DESCRIPTION:

- 12 Leads Ecg Synchronous Sampling Systems
- Thermal Printer With 80mm Print Paper, Synchronization Print
- 10.2" Color Touch Screen, Both Push Button And Touch Operation
- Automatic Measurement, calculation, analysis, Waveform Freezing
- Support Usb Flash Disk And Sd Memory
- Data Transmitting To Pc Via Rs232/usb
- Patient Information Can Be Input
- Historical Data Can Be Reviewed And Printed
- Built In Rechargeable Lithium Battery, Ac/dc Power Conversion
- Sleep Mode To Save Energy And Extend Lcd Life
- Portable Design With Hidden Handle, Convenient To Carry





## 12 CHANNEL ECG MACHINE

**Model - DIAZ 1201**



### PRODUCT INTRODUCTION

- Input Circuit: Floating
- Patient Current Leakage:  $<10\mu A$
- Input circuit current:  $\leq 0.1\mu A$
- CMRR:  $>100dB$
- Noise Level:  $\leq 15\mu Vp-p$
- Calibration Voltage:  $1mV \pm 2\%$
- Printing Poutput : 12 Channel
- Paper Size : 210mm\*
- Power Source : Electricity
- Warranty : 1 Year
- A/D Converter : 24 bits
- Shelf Life : 2 Years
- Quality Certification : ISO 1348
- Instrument Classification : Class II
- Leads : Standard
- Input Circuit : Floating
- Patient Current Leakage :  $<10\mu A$

- Patient Information Can Be Input
- Historical Data Can Be Reviewed And Printed
- Built In Rechargeable Lion Betetry, Ac/dc Power Conversion
- Sleep Mode To Save Energy And Extend Lcd Life
- Portable Design With Hidden Handle, Convient To Carry
- Lead Off And Lack Off Paper Detection Fuction
- 7 level Printing Thick Can Be Chosen
- Adapt To 110-230v, 50/60hz Ac Power Supply.

### DESCRIPTION:

- 12 Leads Ecg Synchronous Sampling Systems
- Thermal Printer With 80mm Print Paper, Synchronization Print
- 10.2" Color Touch Screen, Both Push Botton And Touch Operation
- Autometric Measurement, calculation, analysis, Waveform Freezing
- Support Usb Flash Disk And And Sd Memory
- Data Transmitting To Pc Via Rs232/usb



## 12 CHANNEL ECG MACHINE

**Model - DIAZ - HDECG1200G**



## PRODUCT INTRODUCTION

- ECG1200G is an electrocardiograph which can collect 12-lead ECG signal simultaneously and print ECG waveform with thermal printing system. It features in, recording and displaying ECG waveform in AUTO/Manual mode, measuring and diagnosing ECG waveform parameters automatically, prompting for “Lead off” and “Lack of paper”, multi-language interface, AC/DC, selecting rhythm lead, printing the trend chart and histogram of P-R interval, case database management.
- meets different requirements.
- Paper speed: 5mm/s, 6.25mm/s, 10mm/s, 12.5mm/s, 25mm/s, 50mm/s.
- Built-in memory stores up to 1000 cases, convenient for case review and statistic.
- Multi-language(Turkish, French, Chinese, English, German, Kazakhstan, Polish, Portuguese, Russian, Slovenian, Spanish and Ukrainian) interface and report.
- In optimal DC state, up to 10-hour standby time, continuous print more than 3-hour, record up to 300 ECG waveform(commonly, it is 3s case), which meets the requirements of visiting a patient at home and body examination.

## FUNCTION:

- Sync collection for 12-lead ECG, adopt digital signal processing technology and get high-quality ECG waveform via power frequency filter, baseline filter and EMG filter of ECG signal.
- Display of 3/6/12-lead ECG, print mode, sensitivity, paper speed and filter state, etc. on one screen, convenient for contrastively diagnosing.
- Multiply printing modes and formats, including auto 12x1, auto 6x2+1, auto 6x2+1\_H, auto 6x2, auto 6x2\_H, auto 3x4+1, auto 3x4+2, rhythm 12, rhythm 10, rhythm 8, rhythm 6, manual, etc. Trend chart and histogram of P-R interval can be printed, waveform length printed can be adjusted, and with time print function, which

## ACCESSORIES:

- Standard:
- A lead cable
- A limb electrode
- A chest electrode
- A thermal recording paper
- A power cord
- An earth wire
- A user manual

## OPTIONAL:

- ECG-Sync software+USB cable
- ECG electrode
- Bag
- Conductive paste



## **MULTI- PARA PATIENT MONITOR**

**Model - DIAZ CMS8000**

### **PRODUCT INTRODUCTION**

The monitor has abundant functions that can be used for clinical monitoring with adult, pediatric and neonate. Users may select different parameter configuration according to different requirements. The monitor, power supplied by 100-240V—, 50/60Hz, adopts 12.1" color TFT LCD displaying real-time date and waveform. It can synchronously display eight-channel waveform and full monitoring parameters equipped with an optional 48mm thermal recorder. The monitor can be connected to the central monitoring system via wire or wireless network to form a network monitoring system.

### **SPECIFICATIONS:**

Standard parameters: ECG SPO2 NIBP RESP TEMP PR Optional parameters: 2-IBP CO2 , thermal printer.

- Display mode: 12" color TFT LCD with high-resolution.
- Be applicable for adult, pediatric and neonatal for all-round monitoring.
- Operation interface with Chinese and English. (Optional languages: French, German, Italian, Turkish, etc.)
- Multiple display modes are optional, such as big characters interface.
- Waveform and data colour can be set optionally.
- Storage of 480-hour trend data, and review of 40-second holographic waveform.
- 7-lead ECG displays in a screen, and ECG waveforms series display.
- Anti-high frequency surgical unit, defibrillation-proof(requirement for special leads).
- Adopt digital SpO2 technology, which has strong anti-interference and anti-weak filling capability.
- Function of NIBP review, storage for up to 400 NIBP data.
- Connect central monitoring station, other bed observation and software updating with wireless and wired mode.
- Built-in SD card, U disk for storing data and U disk updating.
- Support the functions of VGA video output and adjustable LCD backlight.
- Support alarm with human voice body.
- Function of synchronous signal output.
- Three operation modes: monitoring, surgery and diagnosis.
- Auto-analysis for arrhythmia waveform.
- Calculation function for drug concentration and titration table.
- Dual-channel temperature monitoring, and with temperature error display.
- NIBP dual-overpressure protection with software and hardware.
- Built-in rechargeable lithium battery for uninterrupted monitoring.
- The product has passed FDA certification in America and CE certification in Europe.



## **MULTI- PARA PATIENT MONITOR**

**Model - DIAZ PM12 D**



### **PRODUCT INTRODUCTION**

#### **ECG :**

- Lead mode :3-lead or 5-lead
- Lead selection : I; II; III; avR; avL; avF; V
- Heart rate range : Adult : 15-300 bpm; Pediatric / Neonatal : 15-300 bpm
- ECG waveform : 2 channels
- Accuracy :  $\pm 1$  BPM or  $\pm 1\%$
- S-T segment detection Measurement rang : -0.2mv~1.0mv
- Alarm : Yes, audible and visual alarm, alarm events review
- High resolution 12.1" color TFT display
- Lightweight, compact and portable
- ECG, SPO<sub>2</sub> , NIBP,RESP, 2-TEMP, PR
- Built-in rechargeable lithium battery
- ECG waveforms of 7-lead display on the same screen
- 72-hours graphic and tabular trends of all parameters
- 72 alarm events of all parameter recall
- 32 seconds full-disclosure waveform review
- Suitable for adult, pediatric and neonatal patient.

#### **SPO<sub>2</sub> :**

- Measurement range : 0-100%
- Accuracy :70-100%,  $\pm 2\%$  0-69%, unspecific

#### **NIBP :**

- Method : Oscillometry
- Modes : Manual / Auto Continuous
- Auto measure time : Adjustable
- Measurement rang : 10-270 mmHg

#### **RESPIRATION :**

- Method : RA-LL impedance
- Range : Adult : 0-120rpm; pediatric / neonatal : 0-150 rpm
- Apnea alarm Yes

#### **TEMPERATURE :**

- Range : 0-50 • Channel : Dual - channel

#### **PULSE RATE :**

- Range : 20-254 bpm • Accuracy :  $\pm 3$ bpm

#### **OPTIONAL :**

- ETCO<sub>2</sub> IBP UP GRADABLE

## **MULTI- PARA PATIENT MONITOR**

**Model - DIAZ PM12B TOUCH SCREEN**



### **PRODUCT INTRODUCTION**

#### **ECG :**

- Lead Mode : 3 Lead or 5 LeadLead
- Selection : I,II,III avR, avL, avF and vHeart
- Rate Range : 15~300 bpm

#### **SpO2:**

- Measurement Range : 0-100%
- Accuracy 70-100%, + 2% & 0-69%, Unspecified Pulse Rate PR
- ECG Range : 15-350 bpm
- ECG Accuracy : + 1 bpm or 1% whichever is greater
- SPO2 Range : 20-300 bpmSPO2 Accuracy : + 3 bpm.
- 12.5 x 10.5 x 7 cm; 1.2 Kilograms

#### **NIBP:**

- Method : Oscillometric
- Mode : Manual, Auto, Continuous
- Auto Measure Time : Adjustable
- Measurement Range : 40-270 mmHg±2%

#### **RESPIRATION:**

- Method : RA-LL impedance

#### **TEMPERATURE:**

- Range : 0-500C
- Accuracy : + 0.10C

#### **OPTIONAL :**

- ETCO2 IBP UP GRADABLE



## MULTI- PARA PATIENT MONITOR

Model - DIAZ KD12 D



### PRODUCT INTRODUCTION

#### ECG :

- Lead mode :3-lead or 5-lead
- Lead selection : I; II; III; avR; avL; avF; V
- Heart rate range : Adult : 15-300 bpm; Pediatric / Neonatal : 15-300 bpm
- ECG waveform : 2 channels
- Accuracy :  $\pm 1$  BPM or  $\pm 1\%$
- S-T segment detection Measurement rang : -0.2mv~1.0mv
- Alarm : Yes, audible and visual alarm, alarm events review
- High resolution 12.1" color TFT display
- Lightweight, compact and portable
- ECG, SPO<sub>2</sub> , NIBP,RESP, 2-TEMP, PR
- Built-in rechargeable lithium battery
- ECG waveforms of 7-lead display on the same screen
- 72-hours graphic and tabular trends of all parameters
- 72 alarm events of all parameter recall
- 32 seconds full-disclosure waveform review
- Suitable for adult, pediatric and neonatal patient.

#### SPO<sub>2</sub> :

- Measurement range : 0-100%
- Accuracy :70-100%,  $\pm 2\%$  0-69%, unspecific

#### NIBP :

- Method : Oscillometry
- Modes : Manual / Auto Continuous
- Auto measure time : Adjustable
- Measurement rang : 10-270 mmHg

#### RESPIRATION :

- Method : RA-LL impedance
- Range : Adult : 0-120rpm; pediatric / neonatal : 0-150 rpm
- Apnea alarm Yes

#### TEMPERATURE :

- Range : 0-50
- Channel: Dual - channel

#### PULSE RATE :

- Range : 20-254 bpm • Accuracy :  $\pm 3$ bpm

#### OPTIONAL :

- ETCO2 IBP UP GRADABLE

## MULTI- PARA PATIENT MONITOR

**Model - DIAZ PM15A**

### PRODUCT INTRODUCTION



- 15" TFT LCD, suitable for bedside, operation room, ICU, etc

#### ECG :

- Lead mode : 3-lead or 5-lead
- Lead selection : I; II; III; avR; avL; avF; V
- Heart rate range : Adult : 15-300 bpm;  
Pediatric / Neonatal : 15-300 bpm
- ECG waveform : 2 channels
- Accuracy :  $\pm 1$  BPM or  $\pm 1\%$
- S-T segment detection Measurement  
rang : -0.2mv~1.0mv
- Alarm : Yes, audible and visual alarm,  
alarm events review
- High resolution 12.1" color TFT display
- Lightweight, compact and portable
- ECG, SPO<sub>2</sub> , NIBP, RESP, 2-TEMP, PR
- Built-in rechargeable lithium battery
- ECG waveforms of 7-lead display  
on the same screen
- 72-hours graphic and tabular trends  
of all parameters
- 72 alarm events of all parameter recall
- 32 seconds full-disclosure waveform review
- Suitable for adult, pediatric and neonatal patient.

#### SPO<sub>2</sub> :

- Measurement range : 0-100%
- Accuracy : 70-100%,  $\pm 2\%$  0-69%,  
unspecific

#### NIBP :

- Method : Oscillometry
- Modes : Manual / Auto Continuous
- Auto measure time : Adjustable
- Measurement rang : 10-270 mmHg

#### RESPIRATION :

- Method : RA-LL impedance
- Range : Adult : 0-120rpm; pediatric /  
neonatal : 0-150 rpm
- Apnea alarm Yes

#### TEMPERATURE :

- Range : 0-50 • Channel :  
Dual - channel

#### PULSE RATE :

- Range : 20-254 bpm • Accuracy :  $\pm 3$ bpm

#### OPTIONAL

- ETCO<sub>2</sub> IBP UP GRADABLE



## 7 PARA PATIENT MONITOR

### PRODUCT INTRODUCTION

Model - DIAZ PM 12 F



#### ECG :

- Lead mode :3-lead or 5-lead
- Lead selection : I; II; III; aVR; aVL; aVF; V
- Heart rate range : Adult : 15-300 bpm;  
Pediatric / Neonatal : 15-300 bpm
- ECG waveform : 2 channels
- Accuracy :  $\pm 1$  BPM or  $\pm 1\%$
- S-T segment detection Measurement  
rang : -0.2mv~1.0mv
- Built-in rechargeable lithium battery

#### SPO<sub>2</sub> :

- Measurement range : 0-100%
- Accuracy :70-100%,  $\pm 2\%$  0-69%,  
unspecific

#### NIBP :

- Method : Oscillometry
- Modes : Manual / Auto Continuous
- Auto measure time : Adjustable
- Measurement rang : 10-270 mmHg

#### RESPIRATION :

- Method : RA-LL impedance
- Range : Adult : 0-120rpm; pediatric /  
neonatal : 0-150 rpm
- Apnea alarm Yes

#### TEMPERATURE :

- Range : 0-50 • Channel :  
Dual - channel

#### PULSE RATE :

- Range : 20-254 bpm • Accuracy :  $\pm 3$ bpm

#### ETCO<sub>2</sub> + IBP :

- EtCO<sub>2</sub>Method: Sidestream or Mainstream  
Measuring Range: 0 ~ 150mmHg
- Resolution:0 ~ 69 mmHg, 0.1 mmHg70 ~ 150 mmHg,  
0.25 mmHg
- Accuracy:0 ~ 40 mm Hg  $\pm 2$  mm Hg41 ~ 70 mm  
Hg  $\pm 5\%$ 71 ~ 100 mm Hg  $\pm 8\%$ 101 ~ 150 mm  
Hg  $\pm 10\%$ AwRR Range: 2 ~ 150 rpmAwRR
- Accuracy:  $\pm 1$ BPM

#### RESP :

- Method R-F(RA-LL) Impedance
- Measurement and alarm range: 0 ~ 150 rpm
- Resolution: 1 rpmMeasurement
- Accuracy:  $\pm 2$  rpmAlarm, accuracy:  $\pm 3$  rpmApnea
- Alarm: 10 ~ 40sScan,
- Speed: 6.25 mm/s, 12.5 mm/s, 25 mm/s



## DEFIBRILLATOR - BI PHASIC

### PRODUCT INTRODUCTION

#### SPECIFICATIONS:

- Brand: Dr. Diaz
- Usage/Application: Emergency
- Operation Mode: Semi-Automatic
- Charging Time: 6 second
- Printer Size: 2 Inch
- Features: Adult & Pediatric Paddle support, Compact & light weight
- Variable Energy Level Selection: 2, 3, 5, 7, 10, 20, 30, 50, 70, 100, 150, 200 Joules
- Battery Capacity: 70 - 100 shocks on single charge
- Display Size: 7 Inch Color Display with built in printer.



## AUTOMATIC EXTERNAL DEFIBRILLATOR

Model - DIAZ -AED 7000

#### SPECIFICATIONS:

- Model Name/Number: AED 7000
- Brand: Dr. Diaz
- Operation Mode: Automatic
- Battery Type: Non-Rechargeable 12V DC. 3.0 Ah
- Operating Temperature: 0 Deg C to 40 Deg C
- Shelf Life: (25 Deg C +/- 15 Deg C): 10 years (5 years storage + 5 years standby)
- Weight : 2 kg
- Controls: Two buttons - On/Off, Shock
- Output Biphasic Truncated exponential
- Energy Sequence: 150, 150, 200J
- Charge Time: 8 sec. to 150J
- Analysis Time: 9 Sec
- Audible Prompts: 20 audible prompts
- Visual Prompts: LED prompts
- Output Energy Accuracy: +/- 15% into impedance from 25 to 75
- The Maximum Voltage: 1200 +/- 50V
- Battery Capacity: 00 discharges at 200 Joules or 120 discharges at 150 Joules
- Dimensions: 303 X 216 X 89 mm
- Operating Humidity: Relative humidity between 30% and 95% (non-condensing)
- Storage Temperature: -20 Deg C to 55 Deg C (without battery)
- Storage Humidity Up to 93% (non-condensing) (without battery)





## OXYGEN CONCENTRATOR

**Model - DIAZ K5BW**



### PRODUCT INTRODUCTION

Browse through the extensive list of Oxygen Concentrators at Moglix. Shop online for other Generic Oxygen Concentrators available at Moglix in the lowest price range.

K5BW 5 lpm Oxygen Concentrator is an amazing product available in the market. It is always to be prepared for the worst in advance. This product is smart enough to extract oxygen from the ambient air. This oxygen concentrator comes under a warranty period of 1 Year. If you are required to arrange extra oxygen, then this is exactly what you need. The dimension of this product is 305x300x535 mm. This little device is very powerful. The weight of this device is just 16.5 kg. The portable design of this product makes it easy to move. This product is the first thing you will need in case of respiratory failure. An oxygen concentrator is essential for anyone with breathing difficulties. The complete package contains 1 Piece. This product comes with a warranty period of 1 Year. Generic offers you one of the best quality oxygen concentrators available online.

### SPECIFICATIONS:

- Brand: Generic
- Operating Temperature: 10 to 35 deg C
- Oxygen Concentration: 93% +/- 3%
- Outlet Pressure: 8.5 psi (Maximum)
- Warranty :1 Year
- Dimensions: 305x300x535 mm
- Weight:16.5 kg
- Standards: CE & ISO13485
- Noise Level: <=58 dBA
- Flow Rate:0-5 lpm
- Package Contents: 1 Pc Humidifier Bottle, 1 Pc Oxygen Connector, 1 Pc Oxygen Cannula Tubing, 1 Pc Air Filter(Inside The Unit), 1 Pc English User Manual, 1 Pc English User Manual
- Technology: PSA

- Voltage: 220 V
- Model: K5BW
- Additional Details : Oxygen: 5 to 45 deg C
- Frequency : 50 Hz

### KEY FEATURES:

- Portable & Light.
- Continuously Work 24 hr.
- Device Electrical Classification: Class II & Type BF.
- Oxygen Concentration Sensor Alarm: 82% or Less (For the Purity Monitoring Type).
- Dense Oxygen Purity: 93±3% with 0-5lpm (Medical Oxygen Level), Fully Filtrate Harmful Substances in the Air & Refresh the Air with Rich Oxygen.

## OXYGEN CONCENTRATOR

Model - DIAZ -INT-5AY



### PRODUCT INTRODUCTION

The Dr. Diaz oxygen concentrator machine is a piece of life-saving equipment that works on resolving a patient's breathing troubles. Running on an oil-free compressor and optimized by battery or electricity, the machine reduces expenses.

With a massive oxygen capacity, the air supply never runs out! It's an awesome kit to improve oxygen levels in a patient's blood. Therefore, restoring health to the ones battling troubles of breathing.

At times of emergency, Dr. Diaz's oxygen concentrator machine is all you need!

### SPECIFICATIONS:

- oxygen flow: 0.5-5l / min
- Oxygen concentration: 0.5-5l / min, 90% (V / V)
- Oxygen outlet pressure: 0.04-0.06Mpa
- Noise: 55dB (a)
- Power supply: ~ 220V / 50Hz
- Power: 290va
- Body size: 290 × 300 × 517 (L \* w \* h) mm
- Weight: 13kg

### KEY FEATURES:

- Stimulates oxygen levels - Powered by the PSA technology, the machine improves oxygen concentration in the blood.
- Large capacity -The oxygen concentrator equipment is well-equipped to hold roughly 5 liters of oxygen capacity.
- Safety in use- It's completely safe for patients

with acute breathing troubles to use.

- Fewer expenses required for maintenance- The machine runs on an oil-free compressor resulting in costing pretty less to sustain.
- A must-have for emergencies- The Dr. Diaz oxygen concentrator is a perfect life-saving kit to serve critical patients improving oxygen levels.



## PORTABLE OXYGEN CONCENTRATOR

### Model - DIAZ -P2



## PRODUCT INTRODUCTION

P2 oxygen concentrator is the Apex portable oxygen concentrator ideal for patients who require oxygen therapy without giving up their lifestyle.

It is based on flow-on-demand technology. Compared to the technology that provides a continuous flow, in the flow on demand, the oxygen bolus is supplied to the patient at the beginning of the inspiration process.

Compared to continuous flow equipment, Dr. Diaz P2 oxygen concentrator is compact (22.1 x 16 x 8.5 cm) and lightweight (1.98 kg), providing an oxygen flow with the same quantity and purity. The Dr. Diaz P2 provides the patient with an unlimited oxygen supply outside the home with an O2 concentration of 96%. The oxygen flow is adjustable in 5 levels.

The autonomy of the Dr. Diaz P2 is greater than 3 hours in position 2. The Dr. Diaz P2 has 24 types of notices that ensure proper operation of the equipment. It is designed to be used 24 hours a day, seven days a week. Its large 278 "screen allows an adequate reading. The equipment incorporates filters that prevent the entry of dirt, lengthening its useful life. Supplied with a carry bag.

### SPECIFICATIONS:

- Lightweight :You can hold it up with one hand easily.
- Mini Size: Very small size. Very easy to carry. 221 mm X 85 mm X 160 mm.
- Pulse Oxygen Supply: Dr. Diaz P2 oxygen concentrator is equivalent to 5 litres.
- Triple filtration: Dust, hair, pollen and granule.
- Powerful compressor: High efficiency + Low noise + Excellent heat dissipation + Long Life.
- High efficiency molecular sieve: Better adsorption.
- 6800 mA battery: Continuous and stable battery life.



## OXYGEN CONCENTRATOR

**Model - DIAZ -J5BW**



### PRODUCT SPECIFICATION:

- Brand: Dr. Diaz
- Flow Rate: 5 LPM
- Model Name/Number: Jay-5BW
- Product Type: Stationary
- Weight (in kg): 22
- Oxygen Concentration: 93+
- Sound Level: 40
- Operation Mode: Electrical
- Warranty: one year
- Minimum Order Quantity: 1

- 82% (82% not included), it will give red light
- High temperature alarm (Inside system temp above 50°C)

### FEATURE:

- Quality product for home use
- Low maintenance and easy maintenance
- American imported humidifier 6PSI pressure release
- Higher outlet pressure to ensure flow of people
- Innovative cooling technology to improve the reliability and life of the unit
- Large LCD display shows the switch and accumulated working time and working pressure

### OPTIONAL CONFIGURATION:

- Nebulizer (Atomization) > 10L/min
- SPO2 (Pulse oximeter)
- Low purity alarm: when oxygen purity is above 82%, it will give blue light, when the purity is below



## OXYGEN CONCENTRATOR

Model - DIAZ -J5BW-D



### PRODUCT INTRODUCTION

#### SPECIFICATIONS:

- Brand: Dr Diaz
- Model Name/Number: Jay
- Oxygen Concentration: 95.5% - 87%
- Warranty: One Year
- Operation: Electrical
- Usage/Application: Hospital, Clinic
- Type: Continuous Flow
- Weight (kg): 23 Kg
- Capacity: 5 L
- Flow Range: 0-5L/min
- Input Power: < 400VA
- Dimension: H55.6cm x D 28.5cm x D 47cm(21.9"x11.

manner with premium grade raw material and highly modern technology in synchronization to the latest industrial standards.

#### DESCRIPTION:

- A POC is a medical device that assists individuals with a low stage of blood oxygen. You could plug them into an electrical outlet or strength them by a battery. If the battery is spent, you'll need to charge it returned up by plugging it into the electrical outlet. Several of the portable oxygen concentrator additionally come with an adapter so that you can use your device while driving.
- We are offering Portable Oxygen Concentrator. By keeping in mind the varied specifications of our respected clients spread all over the country. The products offered by us are designed in efficient



## OXYGEN CONCENTRATOR

Model - DIAZ -JAY-10



### PRODUCT INTRODUCTION

#### SPECIFICATIONS:

- Brand: Dr. Diaz
- Flow Rate: 10 LPM
- Model Name/Number: Single Flow
- Product Type: Stationary
- Oxygen Concentration: 93 +/- 3 %
- Weight (in kg): 28Kgs Capacity : 10 ltr.
- Power-AC230V , 50Hz(AC220V /110v+10%, 50/60+1 Hz are available
- Power Consumption 3. LCD display -Switch times , operating pressure , present working time , accumulating time , Presenting time

from 10mins to 40 hours

- Alarm - Power failure alarm , High low pressure alarm

## OXYGEN CONCENTRATOR DUAL FLOW

Model - DIAZ -JAY-10



### PRODUCT INTRODUCTION

#### SPECIFICATIONS:

- Brand: Dr. Diaz
- Flow Rate: 10 LPM
- Model Name/Number: Single Flow
- Product Type: Stationary
- Oxygen Concentration: 93 +/- 3 %
- Weight (in kg): 28Kgs
- Capacity : 10 ltr.

- Power-AC230V , 50Hz(AC220V /110v+10%, 50/60+1 Hz are available
- Power Consumption 3. LCD display -Switch times , operating pressure , present working time , accumulating time , Presenting time from 10mins to 40 hours
- Alarm - Power failure alarm , High low pressure alarm
- Size(mm) - 365x375x600





## **BUBBLE C-PAP**

### **PRODUCT INTRODUCTION**

- Bubble CPAP provides a safe, consistent and accurate method of delivering humidified respiratory support to spontaneously breathing neonates.

#### **FEATURES:**

- Pressure relief valve
- Autofill humidification chamber
- Protected by Dr. Diaz
- Tubing clips
- 1.3m Inspiration limb with 1.2m heated section
- Pressure monitoring
- Bubble CPAP interface
- Water trap expiratory limb (heated expiratory limb also available)
- Bubble CPAP generator

- Mounting Pole and Brackets
- Medical Air Compressor (Optional)

#### **MAIN COMPONENTS:**

- Respiratory Humidifier
- Air Oxygen Blender for Gas Mixing and Outlet Flow-Meter
- Bubble Water Column for PEEP determination
- Heated Wire Circuit
- Patient Interface
  - (a) Nasal Tubing
  - (b) Infant Bonnet
  - (c) Nasal Prongs
- Pressure Relief Valve for Added Safety



## **DIAZ- BIPAP**

**Model - DIAZ Y25T / Y30T**



### **PRODUCT INTRODUCTION**

BIPAP Machine S/T Mode Series provide non-invasive ventilation for patients with respiratory insufficiency in hospital or at home. Ti Min/Ti Max ensure inspiration time and improve the treatment effect significantly. This is an Auto Bi-Level Machine with RESlex and Heated Humidifier by 3B Products is an effective and easy to use bi-level system. Features include iCode therapy tracking, RESlex pressure relief, and an included heated humidifier.

BMC Bi-Level Machine with RESlex and Heated Humidifier offers many features to increase comfort and provide effective therapy. This is an auto-titrating BiLevel machine that delivers two separate pressures that are adjusted throughout use, one for inhalation and one for exhalation.

### **FEATURES**

- Auto Bi-Level Therapy
- Heated Humidifier Included
- iCode Therapy Data
- RESlex Pressure Relief
- Auto On/Off
- Programmable LCD Display

#### **SPECIFICATIONS:**

- Brand : DR. Diaz
- Modes S/T
- Usage/Application : Hospital, Clinical
- Pressure Range : EPAP 4 - 25 cm H2O
- Driven Type : Electric


- Voltage : 110-240 V AC DC
- Frequency 60 Hz

#### **CONTENTS OF BAG:**

- Dr. Diaz BPAP (Y30T)
- Humidifier
- Mask (Nasal or Full Face, Size: S/M/L) (if included in order)
- Hose
- Adapter
- Filter
- Catalog

## RESPIRATORY AUTO CPAP (APAP)

Model - DIAZ CPAP G2S



### PRODUCT INTRODUCTION

- BMC ReSmart G2S B25T is a non-invasive pulmonary ventilation device for patients with obstructive sleep apnea syndrome (SOAG) and respiratory failure. There is also positive experience with patients with chronic respiratory failure, COPD, interstitial lung diseases, ALS, SMA, cystic fibrosis, Pickwick's syndrome, with respiratory center injuries (injuries, strokes, tumors) and SOAGS. BMC Resmart BPAP G2S 25T allows breathing therapy in patients with a large number of central respiratory arrests (central sleep apnea, Cheyne-Stokes syndrome) and significant body weight (weight over 150 kg). It allows you to create therapeutic pressure up to 25 cm H<sub>2</sub>O, works in CPAP, S, T, S/T modes. The new integrated humidifier has a large heating plate, which allows faster heating of water and more efficiently humidifies the airflow. The new design allows you to easily remove the water tank, fill and clean it.

### PRODUCT DESCRIPTION :

- Model: G2S
- Ventilation mode : Auto Mode
- Positive Inspiratory Pressure (IPAP) 4 to 25 cm H<sub>2</sub>O
- Positive expiratory pressure (EPAP) 4 to 25 cm H<sub>2</sub>O
- Ramp : 0-60 minutes
- Dimensions: 274 × 184 × 115 mm
- Weight : 1.9 kg
- Noise level : 28 dB
- Humidifier : Yes
- Humidifier volume : 360 ml
- Display : 3.5 inch
- Alarms : Food mask
- Monitoring: MinVent, ResRate, Vte, Leaks, Target Volume



## **FULL FACE MASK (BiPAP)**

### **MODEL - DIAZ FULL FACE MASK**



### **PRODUCT INTRODUCTION**

- Full Face Mask adopts innovative and unique 3\*2 gears adjustable forehead frame
- Oxygen enrichment inlet
- Sizes: Small / Medium / Large
- Use: Sleep Snoring OSA Therapy
- Offers more personalized fit and seal
- It is light and comfortable
- The original adaptive headgear clips are easy to attach and detach
- Can adapt to different people's faces
- Maintain the most comfortable headgear position
- Usage with BiPAP

### **SPECIFICATIONS:**

- Brand Name: DR. Diaz
- Model Number: F1A
- Weight: 0.5 KG
- Mask Sizes: Small/ Medium/ Large
- Certificates: CE FDA ISO
- Headgear: Yes
- Color: Lucency
- Recycle: YES



## **NASAL MASK**

**Model - DIAZ NASAL MASK**



### **PRODUCT INTRODUCTION**

- Minimal Design, Light – comfortable and easy to clean
- 3 part compact design – reassemble instantly
- Bilateral vent designed to disperse air gently and quietly
- 3 available sizes (S/M/L)
- Adjustable forehead elastic support – Gives you a wider range of comfort
- 360-degree elbow rotation for tubing comfort

### **PACK CONTAINS:**

- Headgear & Mask Frame
- Cushion
- User manual

### **ADDITIONAL INFORMATION:**

- Weight: 0.4 kg
- Dimensions: 18 × 13 × 10 cm
- Size: Large, Medium, Small





## H.F.N.C

Model - DIAZ -H-80



## PRODUCT INTRODUCTION

- H-80 Series High Flow Oxygen Cannula can be used for patients with spontaneous breathing, including artificial airway respiratory insufficiency, and can be used for patients in hospitals and long-term care institutions.

H-80 Series High Flow Oxygen Cannula can be used for patients with spontaneous breathing, including artificial airway respiratory insufficiency, and can be used for patients in hospitals and long-term care institutions. Provide a maximum of 80L / min air-oxygen mixed gas, oxygen concentration can be set automatically, providing an exclusive AutoFlow function, SmartFlow function. Disinfection-free design, Water chamber has a backflow prevention valve to prevent gas backflow.

## STANDARD ACCESSORIES:

- High Flow Nasal Cannula
- Heating Circuit
- Humidification Chamber
- Chamber Connector
- IV Stand Trolley with Basket
- High Flow Oxygen Hose Tube (Pipe)
- High Flow Oxygen Flowmeter (Regulator)

- Model Number: H-80
- Warranty: 1 Year
- Model Name/Number: HFNC
- Application: Hospital
- Country of Origin : Made in India

## SPECIFICATIONS:

- Patient Type: Adult
- Cannula Prolong Style: Curved Prong
- Tube Length: 15 m
- Type Of Medical Tubes: Smooth bore
- Usage/Application: Hospital
- Brand: BMC





## ANESTHESIA WORKSTATION

**Model - DIAZ - 7200**



### DESCRIPTION:

- Model NO. : 7200 Ventilation ModesIppv, Manual, Standby Setting Navigator Knob Ventilation Frequency4~100bpl:E Ratio4:1~1:8Tidal Volume20~1500mlInspiratory Plateauoff, 5%~60%Monitoring Displaym8.4" TFT Color ScreenPeep0~30 CMH2o (Optional)Dimensions(H\*W\*D)1356\*845\*620mmTransport Package Wooden Trademark Aeonmed

### SPECIFICATIONS:

- Positioning: Trolley
- Power: 220v
- Voltage: 220
- Is It Portable: Non Portable

## VENTILATOR

**Model - DIAZ - VG70**



### PRODUCT INTRODUCTION

Highend ICU Ventilator A ventilator is a machine that provides mechanical ventilation by moving breathable air into and out of the lungs, to deliver breaths to a patient who is physically unable to breathe, or breathing insufficiently.

### SPECIFICATIONS:

- Tidal Volume: 20 ML to 2200 ML
- Brand: Dr. Diaz
- Model Name/Number: VG 70
- Ventilation Modes: V-A/C, P-A/C, PRVC, V-SIMV, P-SIMV, SIMV-PRVC, CPAP/PSV, APRV, Manual, VS, PSV-ST, NIV





# HEMODIAZ'S CERTIFICATION



**Udyam Aadhaar**

**D**

Type of Enterprise	Micro	Small	Medium
Manufacturing	0	0	0
Service	0	0	0
Udyam No.	DL1400000000		

**Udyam Aadhaar Registration Certificate**

Udyam Aadhaar Number: DL1400000000

Name of Enterprise: HEMODIAZ LIFESCIENCES PVT. LTD.

Location of Plant Details:

Sl. No.	Registration No.	Name of Enterprise/Building/Village	Registration Date	Area/Category	City	Pin	State	District
1	DL1400000000	HEMODIAZ LIFESCIENCES PVT. LTD.	20/07/2019	Manufacturing	DELHI	110029	DELHI	DELHI

Official Address of Enterprise:

Sl. No.	Name of Enterprise/Building/Village	Registration Date	Area/Category	City	Pin	State	District
1	HEMODIAZ LIFESCIENCES PVT. LTD.	20/07/2019	Manufacturing	DELHI	110029	DELHI	DELHI

Date of commencement: 20/07/2019

Major Activity: MANUFACTURING

Enterprise Type: MEDIUM

Previous Registration details of any National Industry Classification Code:

Sl. No.	NIC 2 Digit	NIC 4 Digit	NIC 5 Digit Code	Activity Type
1	28	2820	28209	Manufacturing of other chemical and allied products
2	28	2820	28209	Manufacturing of other chemical and allied products
3	28	2820	28209	Manufacturing of other chemical and allied products
4	28	2820	28209	Manufacturing of other chemical and allied products
5	28	2820	28209	Manufacturing of other chemical and allied products
6	28	2820	28209	Manufacturing of other chemical and allied products
7	28	2820	28209	Manufacturing of other chemical and allied products
8	28	2820	28209	Manufacturing of other chemical and allied products
9	28	2820	28209	Manufacturing of other chemical and allied products
10	28	2820	28209	Manufacturing of other chemical and allied products

Date of Filing: 20/07/2019

Date of Printing: 01/08/2019

Disclaimer: This is a computer generated statement, no signature required.  
Please visit [www.udyam.gov.in](http://www.udyam.gov.in) for more details.  
Udyam Aadhaar App (Beta Version) is available now for download: <http://bit.ly/udyamapp>



# **Hemodiaz**

## **Hemodiaz Lifesciences (P) Ltd.**

**CORPORATE OFFICE :** 954, DDA Flats, Pocket-C, Group-III, Hastal, New Delhi-110059

**SERVICE CENTRE :** 324, Shiv Vihar, Vikas Nagar, Uttam Nagar, New Delhi-110059

**CONTACT NO. :** +91-9990221155 | +91-8588868641 | +91-9810185001

**E-MAIL :** Office@Hemodiaz.com | Sales@Hemodiaz.com | Business@Hemodia.com |  
VipinDhawan@Hemodiaz.com | AshishDhawan@Hemodiaz.com

**WEBSITE :** www.hemodiaz.com | www.dr Diaz.co.in

